

Safety Cabinets FOR PESTICIDES

Safety Cabinets

Safe, secure storage of pesticides, herbicides, fertilizers, flammables and other turf chemicals.

Pesticides present a substantial danger to people and the environment when improperly stored. Safety cabinets that are specifically designed to house these types of chemicals offer features including sturdy double-wall, 18-gauge steel construction with 1 1/2" of air space and dual flame-arresting vents.

Three-point automatic latch with keyed lock prevents unauthorized access. Steel shelves, fitted with corrosion-resistant polyethylene trays, are adjustable on 3" (77mm) centers to accommodate a wide variety of containers.

Improve safety and convenience and reduce the risk of accidental poisoning and fires.

Pesticide safety cabinets aid in segregation and allow liquids to be stored at the worksite, eliminating the potential for drips and spills during the transfer of pesticides. Dissimilar pesticides stored separately prevent one pesticide from contaminating another or accidental use of the wrong chemical.



Pesticides include:

- Insecticides
- Herbicides
- Rodenticides
- Fungicides
- Wood preservatives
- Disinfectants

Ideal for:

- Golf courses
- Lawn care companies
- Park districts
- Nurseries
- Farms
- Amusement parks
- Exterminators
- Cemeteries
- School campuses
- Home use

Sure-Grip® EX Green Safety Cabinets for Pesticides

Number of Doors and Style	Capacity Gallons	Ext. Dimensions H x W x D (mm)	Adjustable Shelves	Approv./Lstg. Regulation*	Ship Wt. Lbs./Kgs.	Model No.
1 door, manual, compac	12/45L	35" x 23 1/4" x 18" (889 x 591 x 457)	1	FM,N,O	120/54	891204
1 door, self-close, compac	12/45L	35" x 23 1/4" x 18" (889 x 591 x 457)	1	FM,N,O,U	122/55	891224
2 door, manual	30/114L	44" x 43" x 18" (1118 x 1092 x 457)	1	FM,N,O	221/100	893004†
2 door, self-close	30/114L	44" x 43" x 18" (1118 x 1092 x 457)	1	FM,N,O,U	223/101	893024†
2 door, manual	45/170L	65" x 43" x 18" (1651 x 1092 x 457)	2	FM,N,O	299/136	894504
2 door, self-close	45/170L	65" x 43" x 18" (1651 x 1092 x 457)	2	FM,N,O,U	301/137	894524
2 door, manual	60/227L	65" x 34" x 34" (1651 x 864 x 864)	2	FM,N,O	366/166	896004
2 door, self-close	60/227L	65" x 34" x 34" (1651 x 864 x 864)	2	FM,N,O,U	368/167	896024
2 door, manual	90/341L**	65" x 43" x 34" (1651 x 1092 x 864)	2	FM,N,O	421/191	899004
2 door, self-close	90/341L**	65" x 43" x 34" (1651 x 1092 x 864)	2	FM,N,O,U	423/192	899024

** Codes state that not more than 60 gallons may be Class I and Class II liquids.

† Includes an HDPE tray top liner.

Extra Accessories

Description	Dimensions W X D (mm)	Fits Cabinet sizes (mm)	Ship Wt. Lbs./Kgs.	Shelf & Tray Model No.	Shelf Only Model No.	Tray Only Model No.
SpillSlope™ Steel Shelf	19 5/8" x 14" (498 x 356)	12 Gal Compac	9/4	29959	29936	29968
SpillSlope™ Steel Shelf	39 3/8" x 14" (1000 x 356)	30 & 45 Gal - 43"W (1092)	11/5	29958	29937	29962
SpillSlope™ Steel Shelf	30 3/8" x 29" (771 x 737)	60 Gal - 34"W (864)	20/9	29980	29944	29961
SpillSlope™ Steel Shelf	39 3/8" x 29" (1000 x 737)	90 Gal - 43"W (1092)	21/10	-	29945	29972

*See page 8 for Regulation Key.



1-800-798-9250 • Fax: 1-800-488-5877 • www.justritemfg.com



Safety Cabinet ACCESSORIES

Forkliftable cabinet support!

Justrite's Cabinet Riser Leg Frame provides sturdy, stable support for easy relocation of empty cabinet with forklift or pallet jack. Cabinet is secured to steel frame with 4 flanged bolts that screw into threaded holes in the bottom of the cabinet. High leg frame makes it easy to clean underneath and keeps cabinet away from floor moisture, increasing ventilation to reduce the potential for corrosion. Leg levelers supplied with riser may be used on base of frame for leveling on uneven surfaces. Safety warning label "Forklift Only When Empty" is included for application to cabinet door. Frame fits Justrite cabinets with footprint of 43" w x 18" d (1092 x 457mm).



Supports entire cabinet footprint for maximum stability, not simply at four corners

Cabinet Leg Riser Frame

Fits Justrite Cabinet Sizes	Load Capacity	Dimensions H x W x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
30 and 45 gallon (114 and 170L)	1000 Lbs. (454 Kgs.)	51/4" x 433/4" x 183/4" (133 x 1111 x 476)	39/14	84002



894500 on 84002

Convert your cabinets into a mobile workstation!

Justrite's Cabinet Rolling Cart makes it easy to relocate a heavy safety cabinet, bringing flammable solvents and chemicals directly to your work area. All welded 1/8" (3mm) heavy-duty steel with reinforced corners for maximum durability, this cart includes a built-in grounding wire which can be attached to a grounding lug on the side of the cabinet. Large 5" (127mm) poly caster wheels, (two swivel and two fixed) all have brakes for added safety, keeping cabinet in a secure position during use. Ergonomic 11/4" (31.75mm) push handle is removable. Frame fits any cabinet footprint of 43" w x 18" d (1092 x 457mm) with a maximum height of 44" (1118mm) such as Justrite's 30 gal (114L) or piggyback cabinets.



Fits Justrite Cabinet Sizes**	Load Capacity	Dimensions H x W x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
30 gallon and Piggyback Style (114L)	500 Lbs. (227 Kgs)	42" x 431/4" x 181/4" (1066 x 1099 x 464)	47/17	84001

** Not recommended for 45 gallon cabinets



893000 on 84001

Reduce the chance of spills!

Justrite's Cabinet Cover is the easy way to prevent potentially dangerous items being placed on top of cabinets. This cover reduces the chance of spills and exposure to harmful materials and encourages good house-keeping. It is ideal for situations that require working on scaffolds or lifts, such as those found in airplane hangars, since employees are unable to put unsafe materials on the sloped top. Strong, industrial strength tape is included for secure attachment.



Yellow Safety Cabinet Covers

Fits Justrite Cabinet Sizes	Ext. Dimensions H x W x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
12, 17, 30, 40 and 45 gallon (45, 64, 114, 151 and 170L)	81/2" x 421/2" x 18" (216 x 1079 x 457)	14 lb / 7 kg	25987
60 and 55 gal Vertical Drum Cabinet (227 and 200L drum)	16" x 331/2" x 34" (406 x 851 x 864)	78 lb / 35 kg	25989



25987 on 893000



Reduce harmful VOC vapors

NEW

VaporTrap™ Filter reduces harmful VOC vapors found inside safety cabinets. Activated carbon filter medium contained in a stainless steel mesh cartridge adsorbs the volatile organic chemical vapors found inside cabinets containing flammable liquids. Using the filters improves your work environment by reducing employee's inhalation exposure to VOC's and lowers emissions of VOC's into the atmosphere.



Two to a pack

Sturdy 4" x 5½" (102 x 139mm) magnetized base offers flexible placement anywhere within the cabinet. Date notation area on label serves as a reminder for replacement; life cycle varies based upon vapor types and concentrations.



VaporTrap™ Filter

New

Description	Nom. Dimensions Filter L x D (mm)	Ship Wt. Lbs/Kgs.	Model No.
VaporTrap™ Filter (2 pk.)	8¾" x 2¼" (222 x 57)	4/2	29916

Note:

Due to variables such as the chemical itself, its purity or its vapor pressure, temperature, humidity, charcoal age, etc., it is difficult to estimate VOC vapor adsorption rates.

The Justrite VaporTrap™ Carbon Filter is not intended to be used as a substitute for using "safe closed containers" as required by OSHA and the EPA. It is important to clean up spills and residues from the cabinet and containers.



Model No. 25969 Pass-through Valve Kit installed on Model No. 890400 Cabinet


Pass-through Valve can be used on the top, side, or back of any safety cabinet. Unique system provides a means to pass solvent through the wall of a cabinet, making it possible to pump liquid into and/or out of the cabinet without human hand transfer. Stainless steel valve is one way and cannot be reversed. A 1/4" NPT (tapered) fitting is required to thread into both sides of the valve. If inert gas pressure from an outside source is needed, a **Nitrogen Pass-through Valve** is available.

Pass-through Valve for Safety Cabinets

Description	Approv./Lstg. Regulation*	Model No.
Solvent pass-through valve kit	-	25968
Solvent pass-through valve kit INSTALLED	FM	25969
Nitrogen pass-through valve kit	-	25973
Nitrogen pass-through valve kit INSTALLED	FM	25974

NOTE: When ordering specify valve location, cabinet model & direction of flow (outside to inside or inside to outside).

Justrite's Seismic Bracket Kit for Safety Cabinets offers an extra measure of safety in environments where increased stability may be needed. Ideal for earthquake or hurricane prone areas or for extra security for free standing cabinets. One kit allows for any safety cabinet to be secured to a wall or floor. Because there is no cabinet drilling required, the fire protection properties of the cabinet remain intact and it maintains FM approval.



Floor Mount



Wall Mount

Seismic Bracket Kit for Safety Cabinets

Description	Shipping Dimensions H x W x D (mm)	Ship Wt. Lbs/Kgs.	Model No.
Seismic Bracket Kit	4" x 48" x 4" (102 x 1219 x 102)	7/3	84000

*See page 8 for Regulation Key.




Safety Cabinet ACCESSORIES

Add function and convenience with cabinet accessories.

Cabinet Accessories offer an opportunity to expand storage and add new convenience to existing cabinets.

Shelf Dividers help organize cabinet contents.

Keep small bottles and containers nicely organized with these all steel, powder-coat finished dividers (set of 4). Simply place over shelf and slide into position.



Shelf Divider Sets (4)

Fits Shelf Depth	Fits Cabinets Gallons	Ext. Dimensions H x W x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
14" (355mm)	17, 30, 40, 45, 12 & 15 gal. Compac, 22 Slimline, 19, 23 & 31 gal. Fume Hood	2" x 2 ¹ / ₃₂ " x 14 ¹¹ / ₆₄ " (51 x 52 x 359)	5/2	29985
18" (457mm)	22 Undercounter	2" x 2 ¹ / ₃₂ " x 18 ¹¹ / ₆₄ " (51 x 52 x 462)	6/3	29990



7150140 Shelf Can on 29943 Dispensing Shelf

Customize your new cabinet with additional shelves.

Meet specific workflow needs with galvanized steel shelves. They hold up to 350 lbs. (159Kgs.) and adjust on 3" (77mm) increments for versatile storage. They can be used on old style Lever handle cabinets and Sure-Grip® style cabinets.

Safety Cabinet Shelves

Description	Fits Cabinet Sizes	Dimensions W x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
FOR NONMETALLIC STORAGE CABINETS				
Wooden Shelf	For 24140 Cabinet	34" x 17" (864 x 432)	18/8	24168
Wooden Shelf	For 24150 Cabinet	40" x 17" (1016 x 432)	19/9	24167
Poly shelf	For 24160 Cabinet			24191
FOR STEEL SAFETY CABINETS				
SpillSlope™ Steel Shelf	4 gallon Cabinets	13 ³ / ₈ " x 13" (340 x 330)	4/2	29935
SpillSlope™ Steel Shelf	12 & 15 gal. Compac, 22 gal. Slimline	19 ⁵ / ₈ " x 14" (499 x 356)	6/3	29936
SpillSlope™ Steel Shelf	17 gallon Piggyback, and all two door (43"W) 30, 40, & 45 gallon	39 ³ / ₈ " x 14" (1000 x 356)	10/5	29937
SpillSlope™ Steel Shelf	20 gallon wall mount	39 ³ / ₈ " x 8 ⁵ / ₈ " (1000 x 219)	7/3	29938
SpillSlope™ Steel Shelf	22 gallon Undercounter	31 ⁵ / ₉ " x 18" (903 x 457)	10/5	29939
SpillSlope™ Steel Shelf	54 gallon Deep Slimline Cabinets	19 ⁵ / ₈ " X 29" (498 x 737)	11/5	29941
SpillSlope™ Steel Shelf	30 gallon (36" W)	32 ³ / ₈ " x 20" (822 x 508)	12/5	29942
Steel Shelf	30 & 45 gallon ULC Cabinets	38 ³ / ₈ " x 13" (975 x 330)	8/4	29956
SpillSlope™ Steel Dispensing Shelf	All 30 & 45 gallon Cabinets	39 ³ / ₈ " x 11" (1000 x 279)	10/5	29943
SpillSlope™ Steel Shelf	All 60 gallon (34"W) two door	30 ³ / ₈ " x 29" (768 x 737)	16/7	29944
SpillSlope™ Steel Shelf	90 gallon Cabinets	39 ³ / ₈ " x 29" (1000 x 737)	21/9	29945
SpillSlope™ Steel Shelf	Double-Duty 115-gal.	23" x 29" (584 x 737)	13/6	29974
FOR UNDER FUME HOOD STEEL SAFETY CABINETS				
SpillSlope™ Steel Shelf	15 gallon Cabinets	20 ¹ / ₈ " x 18" (511 x 457)	12/5	29950
SpillSlope™ Steel Shelf	19 gallon Cabinets	26 ¹ / ₈ " x 18" (664 x 457)	13/6	29951
SpillSlope™ Steel Shelf	23 gallon Cabinets	32 ¹ / ₂ " x 18" (826 x 457)	11/5	29949
SpillSlope™ Steel Shelf	31 gallon Cabinets	44 ¹ / ₃ " x 18" (1130 x 457)	16/7	29953



29937



29944



29945



Extra Haz-Alert™ labels can be purchased separately for added visibility from different angles.

Drum rollers help facilitate movement of heavy, full 30- (110L) or 55-gallon (200L) drums in vertical drum storage cabinets. Drum ramp securely fits over cabinet sill to aid in loading drums with a hand truck. New flat deck offers stable position for dolly during unloading.



25920

Additional Cabinet Accessories

Description	Dimensions W X H (mm)	Ship Wt. Lbs./Kgs.	Model No.
Wall Hanger Assembly (Mounting Kit) for 4 gallon Compac Cabinets		4/2	25951
Wall Hanger Assembly (Mounting Kit) for 20, 12 & 17 gallon Piggyback Cabinets		5/2	25950
Padlock Master Lock® No. 5	Shackle 3/8" (10)	2/1	29933
Haz-Alert™ Flammable Warning Label – Large	10"W x 11 1/2"H (254 x 292)	2/1	29002
Haz-Alert™ Acid Warning Label – Large	10"W x 11"H (254 x 279)	2/1	29006
Haz-Alert™ Flammable Warning Label – Small	10 1/4"W x 6"H (261 x 152)	2/1	29004
Haz-Alert™ Acid Warning Label – Small	4 3/4"W x 5 1/2"H (121 x 140)	2/1	29008
Haz-Alert™ Flammable Safety Band (at bottom) – Large	17 1/2"W x 5"H (444 x 127)	2/1	29003
Haz-Alert™ Acid Safety Band (at bottom) – Large	17 1/2"W x 5"H (444 x 127)	2/1	29007
Haz-Alert™ Flammable Safety Band (at bottom) – Small	12"W x 3 1/2"H (305 x 89)	2/1	29005
Haz-Alert™ Acid Safety Band (at bottom) – Small	12"W x 3 1/2"H (305 x 89)	2/1	29009

Drum Cabinet Accessories

Description	Dimensions L x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
Steel Half-depth Shelf for Single 55 gallon Vertical Drum Cabinets	30 3/8" x 14" (771 x 356)	8/4	29946
Steel Half-depth Shelf for Double 55 gallon Vertical Drum Cabinets	55 3/8" x 14" (1407 x 356)	18/8	29947
Drum Roller for Single 55 gallon Vertical Drum Cabinets	29 1/2" x 30" (749 x 762)	52/24	25920
Drum Roller for Double 55 gallon Vertical Drum Cabinets	55 1/2" x 30" (1410 x 762)	99/45	25922
Drum Roller for Double 30 gallon Vertical Drum Cabinets	37" x 30" (940 x 762)	55/25	25923
Drum Ramp for all Drum Cabinets	28" x 24 1/2" (711 x 622)	35/16	25932
Drum Cradle for Single Drum (see page 111)	Single Horizontal 55-gal Drum (200L)	32/15	08800



Drum Ramp 25932 fits all Justrite Drum Cabinets.

Line cabinet shelves with poly trays for added protection.


These polyethylene accessories with a slightly curved edge provide additional protection against leaks and spills. **Trays** can be placed on top of steel shelves for extra corrosion protection. **Sump Liners** fit inside the bottom sump of the cabinet. **Tray/Sump combos** can be used either on the shelves or at cabinet bottom. For Justrite's most popular sized cabinets, a poly **Tray for cabinet top** offers a handy work surface.

Polyethylene Accessories (for Corrosives Cabinets)


Description	Fits Shelf	Fits Cabinet Sizes	Nom. Dimensions L x D (mm)	Ship Wt. Lbs./Kgs.	Model No.
Tray/Sump Combo	29935	4 Gal	13 1/8" x 13 1/2" (333 x 343)	2/1	25934
Tray/Sump Combo	29936	12 & 15 Gal Compac and 22 Gal Slimline	18 1/2" x 13 7/8" (470 x 352)	3/1	29968
Tray/Sump Combo	29937	17 Gal Piggyback and all 2-door 30, 40 & 45 gallon	38 3/4" x 13 1/2" (984 x 343)	3/1	29962
Tray for Cabinet Top	-	17 Gal Piggyback and all 2-door 30, 40 & 45 gallon	43 9/16" x 18 9/16" (1106 x 471)	6/3	25933
Tray	29939	22 Gal Undercounter	31 1/8" x 18 1/2" (791 x 470)	4/2	29965
Sump Liner	-	22 Gal Undercounter	31 1/4" x 17 1/4" (794 x 438)	4/2	25939
Tray /Sump Combo	29941	54 Gal Deep Slimline	29" x 18 1/2" (737 x 470)	5/2	29907
Tray/Sump Combo	29944	60 Gal	29 3/4" x 29 1/2" (756 x 749)	5/2	29961
Tray/Sump Combo	29945	90 Gal	38 1/2" x 30" (978 x 762)	10/5	29972

Trays and Sump Liners For Under Fume Hood Cabinets

Tray	29950	15 Gal	20 1/8" x 18 1/8" (511 x 460)	4/2	25993
Sump Liner	-	13, 15 Gal	20 1/8" x 16 5/16" (511 x 430)	4/2	29991
Tray	29951	19 Gal	26 1/8" x 18 1/8" (664 x 460)	6/3	25994
Sump Liner	-	17, 19 Gal	26 1/8" x 16 5/16" (664 x 430)	6/3	29986
Tray	29949	23 Gal	31 1/8" x 18 1/2" (791 x 470)	6/3	29965
Sump Liner	-	23 Gal	31 1/8" x 17 3/8" (791 x 470)	4/2	25939
Tray	29953	31 Gal	44 1/8" x 18 1/8" (1121 x 460)	8/4	25996
Sump Liner	-	27, 31 Gal	44 1/8" x 16 5/16" (1121 x 430)	8/4	29987



25933



29962



29965